32692 Customer Number

Account No. 13-3723.

Please credit any overpayment to the same deposit account.

hereby requested.

Patent Case No.: 58117US004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

First Named Inventor:	JOSEPH, STEPHEN C. P.		
Application No.:	10/533743	Confirmation No.:	4553
Filed:	December 2, 2003		
Title:	Drop-in Filter for Spray Gun Reservoir		
AME	NDMENT AND RESPONS	E UNDER 37 CFR § 1.116	
Mail Stop AF Commissioner for Paten P.O. Box 1450 Alexandria, VA 22313-	CERTIFICAT I hereby certify that the deposited with the sufficient postage Patents, P.O. Box transmitted by factors are transmitted by factors. Trademark Office transmitted to University that the deposited with the sufficient postage and the sufficient postage and the sufficient postage are transmitted to University that the deposited with the sufficient postage are transmitted to University that the deposited with the sufficient postage are transmitted to University that the sufficient postage are transmitted to University the sufficient postage are transmitted to Uni	E OF MAILING OR TRANSMISSION [3 is correspondence is being: e United States Postal Service on the date she as first class mail in an envelope addressed (1450, Alexandria, VA 22313-1450. esimile on the date shown below to the Unite e at 571-273-8300. hited States Patent and Trademark Office or ctronic filing system.	own below with to: Commissioner for d States Patent and
Dear Sir:			
This is in respons	se to the outstanding Office	e Action, dated October 28, 20	008, in the
above-identified applica	tion.		
	Fees		
not or cannot be 37 CFR § 1.17	e paid at the time of EFS-Web so which may be required to Depos	bmission via EFS-Web. In the ever ubmission, please charge any fees u sit Account No. 13-3723. nd 1.17 which may be required to E	nder

Please charge any additional fees associated with the prosecution of this application to Deposit Account No. 13-3723. This authorization includes the fee for any necessary extension of time under 37 CFR § 1.136(a). To the extent any such extension should become necessary, it is